


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	10/26/2016	DPD	JAG



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-1	3	TRH DAMPER HOLDING TOOL			2
	1		-3		BLOCK	WHITE DELRIN/ACETAL		3
	2		-5		SHOCK CORD ANCHOR	WHITE NYLON		4
X	1		-7		STRAP ANCHOR BOLT			5
1			-9		HEX HEAD CAP SCREW W/ HOLE	S.S.	M5 X 0.8mm X 25mm (MCMASTER-CARR #93635A172) MODIFIED	6
1			-11		STRAP ANCHOR	316 S.S.		7
			-13	1	PLACARD	PLASTIC		8
	1	B/O	-15		SHOCK CORD	COVERED ELASTIC	(STAN'S UPHOLSTERY)	9
	1	B/O	-17		ELASTIC STRAP W/ GROMMETS	ELASTIC FABRIC	(STAN'S UPHOLSTERY)	10
	1	B/O	-19		REMOVE BEFORE FLIGHT FLAG	NYLON	NAS 1756-12	2
	1	B/O	-21		HEX HEAD CAP SCREW	S.S.	M5 X 0.8mm X 25mm (MCMASTER-CARR #93635A172)	2
	1	B/O	-23		WASHER	S.S.	M5 (MCMASTER-CARR #93475A240)	2
		B/O	-25	1	BOTTOM FOAM	ETHAFOAM 220, BLACK	4.26 X 10.47 X 14.89 (CASE SOLUTIONS)	11
		B/O	-27	1	TOP FOAM	ETHAFOAM 220, BLACK	1.76 X 10.47 X 14.89 (CASE SOLUTIONS)	12
		B/O	-29	1	CASE	PLASTIC	PELICAN #APP-1450-E	N/S
		B/O		1	DART PLACARD	ALUMINUM	RB41011	N/S
ASSY -7	ASSY -1							

NOTE:
REF. AIRBUS T/N: M642V5000102.




TITLE
TRH DAMPER HOLDING TOOL KIT

DWG NO. **RBEM642V5000102** REV **1**

MAT'L	UNLESS OTHERWISE SPECIFIED	
HEAT TREAT	DIMENSIONS ARE IN INCHES	
FINISH	.XXX ± .005 FRACTIONS ± 1/8	
SPEC	.XX ± .01 ANGLES ± .5°	
	.X ± .1 SURFACES = 125°	
DRAWN BY:	DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED:	CLOUGH	.015 x 45° OR .015R
OPPS APPR:	ANDERSON	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
QA APPR:	LINDSAY	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
APPROVED:	GILBERT	USED ON MODEL
SCALE	1:5	H175
DATE	4/22/2016	SHEET 1 OF 12

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



TRH DAMPER HOLDING TOOL



TITLE
TRH DAMPER HOLDING TOOL KIT

DWG NO. RBEM642V5000102-1

REV
1

MAT'L	UNLESS OTHERWISE SPECIFIED
HEAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH	.XX ± .01 ANGLES ± .5°
	.X ± .1 SURFACES = 125



SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY:	DUERFELDT
CHECKED:	CLOUGH
OPPS APPR:	ANDERSON
QA APPR:	LINDSAY
APPROVED:	GILBERT

USED ON MODEL	H175
---------------	------

SCALE	1:4	DATE	4/22/2016	SHEET 2 OF 12
-------	-----	------	-----------	---------------

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-3)
BLOCK

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-3	REV 1
MAT'L WHITE DELRIN/ACETAL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH	.XX ± .01 ANGLES ± .5°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	H175
SCALE 1:3	DATE 4/22/2016
SHEET 3 OF 12	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS							
REV	ECR	DESCRIPTION			DATE	INITIAL	APPROVED





(5)

SHOCK CORD ANCHOR

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-5	REV 1
MAT'L WHITE NYLON	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	H175
SCALE 4:1	DATE 4/22/2016 SHEET 4 OF 12

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	





(-7)
STRAP ANCHOR BOLT


DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-7	REV 1
MAT'L	UNLESS OTHERWISE SPECIFIED
HEAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH	.XX ± .01 ANGLES ± .5°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 2:1	DATE 4/22/2016
	SHEET 5 OF 12

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



HIDDEN LINES
OMITTED FOR CLARITY






(-9)

HEX HEAD CAP SCREW W/ HOLE

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-9	REV 1
MAT'L S.S.	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX \pm .005 FRACTIONS \pm 1/8
SPEC	.XX \pm .01 ANGLES \pm .5°
	.X \pm .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 4:1	DATE 4/22/2016
	SHEET 6 OF 12

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED





(11)

STRAP ANCHOR

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-11	REV 1
MAT'L 316 S.S.	UNLESS OTHERWISE SPECIFIED
TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 4:1	DATE 4/22/2016
	SHEET 7 OF 12

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED




NOTE:
USE PDF.

(-13)
PLACARD

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-13	REV 1
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	H175
SCALE 1:1	DATE 4/22/2016 SHEET 8 OF 12

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(-15)
SHOCK CORD

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-15	REV 1
MAT'L COVERED ELASTIC	UNLESS OTHERWISE SPECIFIED
TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 1:1	DATE 4/22/2016
	SHEET 9 OF 12

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED







(17)
ELASTIC STRAP W/ GROMMETS

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-17	REV 1
MAT'L ELASTIC FABRIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TREAT 	.XXX ± .010 FRACTIONS ± 1/8
FINISH 	.XX ± .03 ANGLES ± 1°
SPEC 	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	H175
SCALE 1:1	DATE 4/22/2016
SHEET 10 OF 12	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	



SECTION A-A




(-25)

BOTTOM FOAM

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-25	REV 1
MAT'L ETHAFOAM 220, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125°	
SPEC	
DRAWN BY:	DUERFELDT
CHECKED:	CLOUGH
OPPS APPR:	ANDERSON
QA APPR:	LINDSAY
APPROVED:	GILBERT
USED ON MODEL H175	
SCALE 1:4	DATE 4/22/2016
SHEET 11 OF 12	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	



(-27)
TOP FOAM

DART AEROSPACE	
TITLE TRH DAMPER HOLDING TOOL KIT	
DWG NO. RBEM642V5000102-27	REV 1
MAT'L ETHAFOAM 220, BLACK	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TREAT 	.XXX ± .010 FRACTIONS ± 1/8
FINISH 	.XX ± .03 ANGLES ± 1°
SPEC 	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	H175
SCALE 1:4	DATE 4/22/2016
SHEET 12 OF 12	